### **CAR'CLEAN**

Version: 2 Review date: 30/06/2023 RE EC/2016-918 - CLP 1272/2008

### 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

For more information, to consult the chart.

1. 1. Product identifier:

CAR'CLEAN 1. 1. 1. Preparation name:

1. 1. 2. UFI: K1K0-S0JA-Q000-2RJY

1. 1. 3. Product code nr: MT210 - 910xxx

1. 2. Relevant identified uses of the substance or mixture and uses advised

against:

1. 3. Details of the supplier of the safety

data sheet:

**SELD** 

6 rue Jules Guesde - Zl du Pontet F-69360 Saint Symphorien d'Ozon

Phone: +33 (0)4 37 25 16 16

E-mail: contact@mecatech-performances.com

1. 4. Emergency telephone number:

UK - National Poisons Information Service Phone: 44 / 191 22 5131

### 2. HAZARDS IDENTIFICATION

2. 1. Classification of the substance or

mixture:

\* Skin Corr. 1B / GHS05 - H314 \*

2 2 Label elements:

2. 2. 1. Symbol(s) and signal word:

None according to the regulation (EC) No 1907/2006 - 1272/2008 with their modifications and

adaptations.

2. 2. 2. Hazard statement:

None according to the regulations (EC) No 1907/2006 - 1272/2008 with their modifications and

adaptations.

2. 3. Other hazards:

Product can accumulate electrostatic charges that may cause fire by electrical discharges.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

3. 1. Component(s) contributing to the hazard:

· Natriummetasilicaat pentahydraat

- CAS nr: 10213-79-3

- Conc. (weight %) :Conc. (% pds) : %

- GHS (Globally Harmonized System)

\* GHS07 \* STOT un. 3 - H335

· sodium hydroxide; caustic soda

- ld nr: 011-002-00-6 - CE nr: 215-185-5 - CAS nr: 1310-73-2

- Conc. (weight %) :Conc. (% pds) : % 1 < C <= 5

- GHS (Globally Harmonized System)

\* GHS05 \* Corr. cut. 1A - H314

Remarks:(Skin Corr. 1A; H314: C >= 5 - Skin Corr. 1B; H314: 2% <= C < 5% - Skin Irrit. 2; H315:

0,5% <= C < 2% - Eye Irrit. 2; H319: 0,5% <= C < 2%)

- Miscellaneous : Exposure limit values

S.T.E.L.  $8h00 \text{ mg/m}^3 = 2$ 

• 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve

- CE nr: 203-905-0 - CAS nr: .111-76-2

- REACH registration number : 01-2119475108-36-XXXX

- Conc. (weight %) :Conc. (% pds) : % 1 < C <= 5

- GHS (Globally Harmonized System)

\* GHS07 \* Tox. aiguë 4 - H302 - H312 - H332 \* Irr. cut. 2 - H315 \* Irr. oc. 2 - H319 \* Irr. oc. 2A

- Miscellaneous :

Exposure limit values

S.T.E.L. 8h00 ppm = 20 - S.T.E.L. 8h00 mg/m<sup>3</sup> = 98 - T.L.V. ppm = 50 - T.L.V. mg/m<sup>3</sup> = 246

• 2-aminoethanol ethanolamine

G.E. Conseils® Page 1 / 6

### **CAR'CLEAN**

Version: 2 Review date: 30/06/2023 RE EC/2016-918 - CLP 1272/2008

- Id nr: 603-030-00-8 - CE nr: 205-483-3 - CAS nr: 141-43-5

- Conc. (weight %) :Conc. (% pds) : % 1 < C <= 5

- GHS (Globally Harmonized System) \* GHS07 \* Tox. aiguë 4 - H302 - H312 - H332

\* GHS05 \* Corr. cut. 1B - H314

Remarks:(STOT SE 3; H335: C >= 5%)

- Miscellaneous : Exposure limit values

S.T.E.L. 8h00 ppm = 3 - S.T.E.L. 8h00 mg/m<sup>3</sup> = 7.5 - T.L.V. ppm = 6 - T.L.V. mg/m<sup>3</sup> = 15

The wording of the sentences are mentioned at heading 16.

#### 4. FIRST AID MEASURES

4. 1. Description of first aid measures:

4. 1. 1. General advice: In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by

mouth to an unconscious person.

4. 1. 2. Inhalation: Remove to fresh air, keep the patient warm and at rest. If breathing is irregular or stopped,

administer artificial respiration. Give nothing by mouth.

If unconscious, place in the recovery position and seek medical advice.

4. 1. 3. Skin contact: Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietary

skin cleaner

Do NOT use solvents or thinners.

4. 1. 4. Eye contact: Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10

minutes, holding the eyelids apart, and seek medical advice.

If accidentally swallowed obtain immediate medical attention. Keep at rest. Do NOT induce 4. 1. 5. Ingestion:

vomiting.

4. 2. Most important symptoms and effects, both acute and delayed:

4. 2. 1. Inhalation: Exposure to organic solvent vapours may result in adverse health effects such as irritation of the

mucous membrane and the respiratory system and adverse effects on the renal and central nervous

systems.

Symptoms include headache, dizziness, fatique, muscular weakness, drowsiness and in extreme

cases, loss of consciousness.

Repeated or prolonged contact with the product may lead to removal of natural fats from the skin 4. 2. 2. Skin contact:

resulting in non-allergic contact dermatitis and absorption through the skin.

4. 2. 3. Eves contact: Splashes in the eyes may cause irritation and reversible local damage.

4. 2. 4. Ingestion: There is no data available on the product itself.

4. 3. Indication of any immediate medical attention and special treatment

needed :

In all cases of doubt, or when symptoms persist, seek medical attention.

## 5. FIREFIGHTING MEASURES

5. 1. Extinguishing media: alcohol-resistant foam, carbon dioxide (CO2), powder, water spray.

5. 2. Special hazards arising from the

substance or mixture:

As the product contains combustible organic components:

- Fire will produce dense black smoke.

- Decomposition products may be a hazard to health. Appropriate self-contained breathing

apparatus may be required.

5. 3. Advice for firefighters: Use a self-contained breathing apparatus and also a protective suit.

5. 4. Specific method(s): Cool closed containers exposed to fire with water spray.

Do not allow run-off from fire fighting to enter drains or water courses.

5. 5. Extinguishing media which must

NOT be used for safety reasons:

Do not use water jet.

### 6. ACCIDENTAL RELEASE MEASURES

G.E. Conseils® Page 2 / 6

### **CAR'CLEAN**

Version: 2 Review date: 30/06/2023 RE EC/2016-918 - CLP 1272/2008

6. 1. Personal precautions, protective equipment and emergency procedures:

As the product contains combustible organic components: Exclude sources of ignition and ventilate the area. Exclude non-essential personnel. Avoid breathing vapours. Refer to protective measures

listed in Sections 7 and 8.

6. 2. Environmental precautions:

Do not allow to enter drains or water courses.

If the product enters drains or sewers the local water company should be contacted immediately; in

the case of contamination of streams, rivers or lakes, the National Rivers Authority.

6. 3. Methods and material for containment and cleaning up:

Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth,

vermiculite, diatomaceous earth

Place in a suitable container for disposal in accordance with the waste regulations (see Section 13).

Clean preferably with a detergent - Avoid the use of solvents.

6. 4. Reference to other sections:

Concerning personal protective equipment to use, see item 8.

Concerning product toxicity, see item 11 and about product stability and reactivity see item 10.

#### 7. HANDLING AND STORAGE

7. 1. Handling:

7. 1. 1. Precautions for safe handling: As the product contains combustible organic components: Vapours are heavier than air and may

spread along floors. They may form explosive mixtures with air.

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour

concentrations higher than the occupational exposure limits.

Smoking, eating and drinking is prohibited in areas of storage and use.

For personal protection, see Section 8.

The Manual Handling Operations Regulations may apply to the handling of containers of this product. Refer to the guide weight indicated on the container when carrying out assessments.

7. 1. 2. Technical condition(s): The product should only be used in areas from which all naked lights and other sources of ignition

have been excluded

Electrical equipment should be protected to the appropriate standard.

7. 1. 3. Safe handling advice(s): Keep the container tightly closed. Exclude sources of heat, sparks and open flame. Non-sparking

tools should be used.

Avoid skin and eye contact. Avoid inhalation of vapour and spray mist.

Never use pressure to empty: the container is not a pressure vessel. Always keep in containers

made of the same material as the supply container.

7. 2. Storage:

7. 2. 1. Conditions for safe storage,

including any incompatibilities:

Observe the label precautions.

No smoking. Prevent unauthorised access.

7. 2. 2. Storage condition(s): Store in a dry, well ventilated place away from sources of heat, ignition and direct sunlight.

Store at temperatures between 0°C and 40°C

Containers which are opened should be properly resealed and kept upright to prevent leakage. Store separately from oxidising agents and strongly alkaline and strongly acidic materials.

7. 2. 3. Separation of incompatible

product(s):

made of the same material as the supply container.

7. 2. 4. Packaging / tank material:7. 3. Specific end use(s):

None reasonably foreseeable.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8. 1. Control parameters:

8. 1. 1. Exposure limit(s): • sodium hydroxide; caustic soda :

S.T.E.L.  $8h00 \text{ mg/m}^3 = 2$ 

• 2-butoxyethanol; ethylene glycol monobutyl ether; butyl cellosolve :

S.T.E.L. 8h00 ppm = 20 - S.T.E.L. 8h00 mg/m<sup>3</sup> = 98 - T.L.V. ppm = 50 - T.L.V. mg/m<sup>3</sup> = 246

· 2-aminoethanol ethanolamine :

S.T.E.L. 8h00 ppm = 3 - S.T.E.L. 8h00 mg/m<sup>3</sup> = 7.5 - T.L.V. ppm = 6 - T.L.V. mg/m<sup>3</sup> = 15

8. 2. Exposure controls:

8. 2. 1. Appropriate engineering

controls:

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

G.E. Conseils® Page 3 / 6

### **CAR'CLEAN**

Version: 2 Review date: 30/06/2023 RE EC/2016-918 - CLP 1272/2008

If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn.

8. 2. 2. Eye protection: Eye protection designed to protect against liquid splashes should be worn.

8. 2. 3. Respiratory protection: Air-fed respiratory protective equipment should be worn when this product is sprayed if the

exposure of the sprayer or other people nearby cannot be controlled to below the occupational

exposure limit

8. 2. 4. Hand protection: Barrier creams may help to protect exposed areas of the skin but are not substitutes for full

physical protection. They should not be applied once exposure has occurred.

When skin exposure may occur, advice should be sought from glove suppliers on appropriate

types. nitrile rubber gloves, neoprene gloves, Latex gloves.

8. 2. 5. Skin and body protection: The personnel should wear protective clothing.

8. 3. Environmental exposure controls: No data available.

8. 4. Hygiene measure(s): Do not eat, drink, or smoke during work.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

9. 1. Information on basic physical and chemical properties:

9. 1. 1. Physical state: liquid
9. 1. 2. Colour: yellow
9. 1. 3. Odour: characteristic
9. 1. 4. Melting point / freezing point: No data available.
9. 1. 5. Boiling point or initial boiling
Not determined.

point and boiling range:

9. 1. 6. Flammability: No data available.

9. 1. 7. Lower and upper explosion

limit:

Explosive limits are unknown in literature.

9. 1. 8. Flash point: pas de point d'éclair°C
9. 1. 9. Auto-ignition temperature: No data available.
9. 1. 10. Decomposition temperature: No data available.

9. 1. 11. PH:

9. 1. 12. Solubility: No data available.

9. 1. 13. Water solubility: yes9. 1. 14. Fat solubility: insoluble9. 1. 15. Solvent solubility: insoluble

9. 1. 16. Partition coefficient n- No data available.

octanol/water (log value):

9. 1. 17. Vapour pressure: No data available.9. 1. 18. Relative vapour density: No data available.

9. 1. 19. Density and/or relative 1.052

density:

9. 1. 20. Particle characteristics: No data available.9. 1. 21. Kinematic viscosity: 21s (ISO 3mm)

9. 2. Other information:

### 10. STABILITY AND REACTIVITY

10. 1. Reactivity: No decomposition if stored and applied as directed.

10. 2. Chemical stability: Stable under the recommended storage and handling conditions. (See Section 7).

10. 3. Possibility of hazardous reactions: Not waited

G.E. Conseils® Page 4 / 6

### **CAR'CLEAN**

Version: 2 Review date: 30/06/2023 RE EC/2016-918 - CLP 1272/2008

10. 4. Conditions to avoid: No naked flames, sparks, and do not smoke.

10. 5. Incompatible materials: Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the

possibility of exothermic reaction.

10. 6. Hazardous decomposition

products:

When exposed to high temperatures may produce hazardous decomposition products such as

carbon monoxide and dioxide, smoke, NxOy

### 11. TOXICOLOGICAL INFORMATION

11. 1. Information on hazard classes as defined in Regulation (EC) No 1272/2008:

11. 1. General information(s): There is no data available on the product itself.

11. 1. 2. Inhalation: No data available.
11. 1. 3. Skin contact: No data available.
11. 1. 4. Eyes contact: No data available.
11. 1. 5. Ingestion: No data available.

11. 2. Information on other hazards: No data available.

#### 12. ECOLOGICAL INFORMATION

12. 1. Toxicity: There is no data available on the product itself.

12. 2. Persistence and degradability: Contains no substances known to be not biodegradable in waste water treatment plants.

12. 3. Bioaccumulative potential: None bioaccumulation.12. 4. Mobility in soil: No data available.

12. 5. Results of PBT and vPvB

assessment:

This product n' is not a substance PBT or vPVB, or n' in does not contain.

12. 6. Endocrine disrupting properties: No data available.

12. 7. Other adverse effects: No expected harmful effects.

12. 8. General information(s): There is no data available on the product itself.

The product should not be allowed to enter drains or water courses or be deposited where it can

affect ground or surface waters.

### 13. DISPOSAL CONSIDERATIONS

13. 1. Waste treatment methods: Do not allow into drains or water courses or dispose of where ground or surface waters may be

affected.

13. 2. Contaminated packaging: Wastes, including emptied containers, are controlled wastes and should be disposed of in

accordance with regulations made under the Control of Pollution Act and the Environmental

Protection Act.

#### 14. TRANSPORT INFORMATION

14. 1. General information(s): Transport followed ADR, IMDG, IATA

14. 2. UN number or ID number: 1824

14. 3. Land (Road / Railway: ADR/RID):

14. 3. 1. Transport hazard class(es):
14. 3. 2. Packing group:
11. 3. 3. ADR/RID-Labels:
14. 3. 4. Tunnel restriction code:
E

G.E. Conseils® Page 5 / 6

#### **CAR'CLEAN**

Version: 2 Review date: 30/06/2023 RE EC/2016-918 - CLP 1272/2008

14. 4. Sea (IMDG):

14. 4. 1. Class: 8

14. 4. 2. Packaging group: III14. 4. 3. IMDG-Label(s): 8

14. 5. Air (ICAO/IATA):

14. 5. 1. ICAO/IATA class: 8

14. 6. Environmental hazards: No special environmental precautions required.

14. 7. Special precautions for user: Wear eye/face protection

14. 8. Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Code:

14. 9. Maritime transport in bulk

according to IMO instruments:

Not applicable.

Not applicable.

#### 15. REGULATORY INFORMATION

15. 1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

Payment 1907/2006 concerning I' recording, I' evaluation and I' authorization of chemical substances, as well as the restrictions applicable to these substances.... as modified.

European rules 2020/878

15. 2. Chemical safety assessment: Not applicable.

### 16. OTHER INFORMATION

16. 1. Text of the phrases listed in section 3:

H335 May cause respiratory irritation.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H332 Harmful if inhaled. H315 Causes skin irritation.

H319 Causes serious eye irritation.

H314 Causes severe skin burns and eye damage.

16. 2. Important remarks: As the specific conditions of use of the product are outside the supplier's control,

the user is responsible for ensuring that the requirements of relevant legislation are complied with.

The user is always responsible for ensuring that the requirements of relevant legislation are

complied with.

The information contained in this safety data sheet is based on the present state of knowledge and current national legislation it provides guidance on health safety and environmental aspects of the product and should not be construed as any guarantee of technical performance or suitability for

particular applications.

16. 3. Restrictions: The product should not be used for purposes other than those shown in Section 16 without first

referring to the supplier and obtaining written handling instructions.

16. 4. History:

16. 4. 1. First edition date: 2/06/2017
16. 4. 2. Previous revision date: 30/06/2023
16. 4. 3. Review date: 30/06/2023

16. 4. 4. Version: 2

16. 5. Written by: SELD

G.E. Conseils® Page 6 / 6